



## Compendium of Veterinary Products - US edition

Dr. Naylor® Hoof 'n Heel® (H.W. NAYLOR CO. INC.)

H.W. NAYLOR CO. INC.

121 MAIN ST., P.O. BOX 190, MORRIS, NY, 13808-0190

Telephone: 607-217-0011

Fax: 866-819-5812

Website: [www.drnaylor.com](http://www.drnaylor.com)

Email: [info@drnaylor.com](mailto:info@drnaylor.com)



Every effort has been made to ensure the accuracy of the information published. However, it remains the responsibility of the readers to familiarize themselves with the product information contained on the USA product label or package insert.

### **DR. NAYLOR® HOOF 'N HEEL®**

H.W. Naylor

Veterinary Topical Antibacterial

FOR

**HOOF ROT - FOOT ROT FOULS, FOOT SCALD**

**SHEEP, GOATS, CATTLE, DAIRY COWS**

*An aid in the treatment of cattle with foot rot due to organisms susceptible to zinc sulfate.*

**Dr. NAYLOR® Hoof 'n Heel®:**

- **Pleasant to use - not sticky or messy**
- **Does not cause hoof to become discolored, hard, brittle or shrink.**
- **Colorless. Does not stain or affect wool.**
- **Painless. No fumes. Non-toxic.**
- **No residues. No withholding.**

**- Economical. Treats many hoofs.**

**Active Ingredients:** 11.2% (w/v) Zinc Sulfate equivalent to 20% as the Zinc Sulfate Heptahydrate, 2% (w/v) Sodium Lauryl Sulfate in a cleansing penetrating aqueous base.

## **FIGHT HOOF ROT INFECTION**

### **FOOT ROT, HOOF ROT, FOULS, FOOT SCALD IN SHEEP, GOATS, CATTLE, DAIRY COWS**

#### **DIRECTIONS:**

1. Clean and trim, when necessary, affected hoofs to expose and remove all dead, loose, undermined tissue. Control any bleeding before treating with Dr. Naylor<sup>®</sup> HOOF 'N HEEL<sup>®</sup>.
2. Slowly squirt Dr. Naylor<sup>®</sup> HOOF 'N HEEL<sup>®</sup> on lesion, covering and saturating it and surrounding area thoroughly while holding hoof inverted - Permit it to penetrate before releasing animal. Foot may be wet pack bandaged or soaked to enhance healing - HOOF 'N HEEL<sup>®</sup> is reusable and stable.
3. Treat twice daily until healing results.
4. Retain animal in a clean, dry area while it is undergoing treatment. Turn sheep out in pasture that has been vacant for at least two weeks. Keep separate from nontreated, affected animals.

Dr. Naylor<sup>®</sup> HOOF 'n HEEL<sup>®</sup> is available in pint containers and as a Powder Concentrate to make an antiseptic foot bath solution for use as a treatment and preventive.

**CAUTION:** If redness, irritation or swelling persists or increases consult veterinarian. Livestock remedy. Not for human use. For external veterinary use only. Keep out of the reach of children.

Made in U.S.A.

H.W. Naylor Company, Inc., Morris, NY 13808-0190

**Net Contents: 16 fl. oz. (1 pt.) (474 mL), 1 Gallon (3.79 l.), 26 lb.**

**CPN:** 1089003.1

By using this site, you agree to the [Terms of Service](#) and [Privacy Policy](#).

[Contact Us](#) - [Logout](#)

Updated April 4, 2018  
Copyright 2018 - Animalytix LLC