



## Compendium of Veterinary Products - US edition

MERCK ANIMAL HEALTH

Intervet Inc.

2 GIRALDA FARMS, MADISON, NJ, 07940

Customer Service: 800-521-5767

Order Desk: 800-648-2118

Technical Service (Companion Animal): 800-224-5318

Technical Service (Livestock): 800-211-3573

Fax: 973-937-5557

Website: [www.merck-animal-health-usa.com](http://www.merck-animal-health-usa.com)



Every effort has been made to ensure the accuracy of the information published. However, it remains the responsibility of the readers to familiarize themselves with the product information contained on the USA product label or package insert.

### Once® PMH IN

Intervet/Merck Animal Health

### MANNHEIMIA HAEMOLYTICA - PASTEURELLA MULTOCIDA VACCINE

Avirulent Live Culture

#### Cattle Vaccine

**Product Description:** The reconstituted vaccine product contains avirulent live cultures of *Mannheimia haemolytica* and *Pasteurella multocida*.


**Indications:** For the vaccination of healthy cattle, 1 week of age or older, as an aid in the control of respiratory disease caused by *Mannheimia haemolytica* and as an aid in the prevention of disease caused by *Pasteurella multocida*.

**Mixing Directions:** 10 Doses/25 x 1 Dose - Rehydrate freeze dried vial of Once® PMH IN with accompanying vial of diluent. Mix reconstituted vial well.

50 Doses - Rehydrate freeze dried vial of Once® PMH IN with part of the accompanying vial of diluent using the transfer needle provided (see below for pictorial directions). Mix reconstituted vial well and transfer rehydrated vaccine into diluent vial using transfer needle. Remove transfer needle from former diluent vial and mix reconstituted vial well. Peel label from bottle of Once PMH® IN and place on diluent vial containing all vaccine.

**Use Directions:** Administer a single 1.0 mL dose aseptically into each nostril or 2 mL into only one nostril of healthy cattle 1 week of age or older. Annual revaccination is recommended. A revaccination dose can be administered at more frequent intervals based upon individual farm disease risk assessment or any time epidemic conditions exist or are reported. Consult your veterinarian.

### Mixing Instructions



**CAUTION: THE TRANSFER NEEDLE, INCLUDED IN THE CARTON PACKAGING, IS SHARP AND MAY CAUSE INJURY TO SELF OR ANIMALS IF NOT HANDLED OR DISPOSED OF PROPERLY.**

1. Insert needle beyond breather valve into the vial of lyophilized vaccine to remove vacuum.
2. Turn the vial of lyophilized vaccine upside down and fully insert needle into the sterile diluent bottle. Be sure to clear cap with breather valve.
3. Turn attached vial and bottle so the vial of lyophilized vaccine is underneath the sterile diluent bottle and squeeze enough sterile diluent into the vial of lyophilized vaccine to rehydrate the vaccine. Mix well.
4. Turn attached bottles so rehydrated vaccine is above the sterile diluent bottle. Squeeze air into rehydrated vaccine vial.

5. Squeeze and release the sterile diluent bottle until all the solution in the rehydrated vaccine vial drains into the sterile diluent bottle.

6. Separate the vial of lyophilized vaccine and needle from the sterile diluent bottle. Using the tab, remove the back of the vaccine vial label. Place the separated label over the sterile diluent bottle label to accurately identify the newly created solution.

**Cautions:** Store at 2°-7°C (35°-45°F). Do not freeze. Use immediately after reconstitution; do not save partial contents. Burn containers and all unused product. Use only in healthy cattle. Do not vaccinate within 21 days before slaughter. If allergic reaction occurs, treat with epinephrine. Contains streptomycin as a preservative.

### **FOR ANIMAL USE ONLY**

Intervet Inc., Merck Animal Health, division of Intervet Inc., Omaha, NE 68103

U.S. Vet Lic. No 165A

1 800 521-5767 (USA)

For patent information:

<http://www.merck.com/product/patent/home.html>

#### Code

10 Doses 20 mL 117258 141580-03

25x1 Dose 2 mL 156004 157269-01

50 Doses 100 mL 109221 157395-04

**CPN:** 1047509.3

By using this site, you agree to the [Terms of Service](#) and [Privacy Policy](#).

[Contact Us](#) - [Logout](#)

Updated March 26, 2018

Copyright 2018 - Animalytix LLC