

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use on horses or foals intended for slaughter. Do not apply over cuts, wounds, or irritated skin. Do not apply near eyes and mouth. Apply sparingly around ears.


For initial treatment, apply daily for 2-3 days. As infestation subsides, repeat treatment every 5-10 days or as prescribed by a veterinarian. Also re-apply every time animal is washed or exposed to heavy rain.

Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing or medicated animals.

USE ONLY IN WELL VENTILATED AREA. HOLD BOTTLE IN UPRIGHT POSITION WHEN SPRAYING:

Dogs: Cover animal's eyes with hands. With a firm stroke to get a proper spray mist, spray head, ears and chest until damp. With fingertips, rub into face around mouth, nose and eyes. Then spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long-haired dogs, rub your hand against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks.

Horses: Thoroughly brush the horse's coat, prior to application, to remove loose dirt and debris. For dirty horses, and as a preparation for show grooming, clean the coat with a quality shampoo. Wait until coat is completely dry before applying. Cover entire surface of animal with spray but avoid getting product into horse's eyes or other sensitive areas such as mouth or nose. Brush coat against grain while spraying to insure adequate penetration of product. As a wipe, apply liberally with a clean cloth or sponge. Make sure spray has completely dried before covering with any tack. Do not use on horses or foals intended for slaughter.



EQUICARE®

FLYSECT®

**SUPER-7™
REPELLENT SPRAY**

WITH SOOTHING ALOE, LANOLIN AND PABA SUNSCREEN
For puppies, dogs, horses or foals

*Contains two insecticide systems and two repellents
for immediate and residual control of
gnats, flies, mosquitoes, mites, chiggers, fleas, ticks & lice*

Also for use as a grooming aid and coat conditioner

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Store in a cool, dry place inaccessible to children and pets.
DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 270-300

(A) EPA Est. No. 11715-TN-01

(B) EPA Est. No. 67572-GA-1

Circled letter before EPA Est. No. corresponds to the first letter of the lot number on bottom of container

Product Code: 3006287

RM# 2008953

07-1442



ACTIVE INGREDIENTS:

Permethrin*	0.20%
Pyrethrins	0.20%
Piperonyl Butoxide, Technical**	0.50%
N-Octyl bicycloheptene dicarboximide	2.00%
Di-n-propyl isocinchomeronate	1.00%
Butoxypropylene glycol	5.00%

OTHER INGREDIENTS: 91.10%

TOTAL 100.00%

*[(3-phenoxyphenyl) methyl (+/-) cis/trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate]

**Equivalent to 0.40% (butylcarbityl)(6-propylpiperonyl) ether and 0.10% related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents: 32 fl oz (1 qt) (946 ml)

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON PUPPIES, DOGS, HORSES OR FOALS
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Humans: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Animals: Avoid contact with eyes, or mucous membranes. Do not use on nursing puppies and foals under 12 weeks of age unless prescribed by a veterinarian. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<p>If you suspect a reaction to this product:</p> <ul style="list-style-type: none"> Discontinue use. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, call 1-800-234-2269

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Keep away from heat and open flame. Contains alcohol. Do not apply to painted or finished wood surfaces.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

Farnam Companies, Inc.
Horse Products Division
P.O. Box 34820
Phoenix, AZ 85067-4820
farnam.com

In case of emergency or for product use information call 1-800-234-2269
©2002, 2003, 2004, 2007 Farnam Companies, Inc.



EQUICARE®

FLYSECT®

**SUPER-7™
REPELLENT SPRAY**

WITH SOOTHING ALOE, LANOLIN AND PABA SUNSCREEN

For puppies, dogs, horses or foals

*Contains two insecticide systems and two repellents
for immediate and residual control of
gnats, flies, mosquitoes, mites, chiggers, fleas, ticks & lice*

Also for use as a grooming aid and coat conditioner

ACTIVE INGREDIENTS:

Permethrin*	0.20%
Pyrethrins	0.20%
Piperonyl Butoxide, Technical**	0.50%
N-Octyl bicycloheptene dicarboximide	2.00%
Di-n-propyl isocinchomeronate	1.00%
Butoxypolypropylene glycol	5.00%

OTHER INGREDIENTS: 91.10%

TOTAL 100.00%

*[(3-phenoxyphenyl) methyl (+/-) cis/trans-3-(2,2-dichloroethenyl)-2, 2-dimethylcyclopropanecarboxylate]

**Equivalent to 0.40% (butylcarbityl)(6-propylpiperonyl) ether and 0.10% related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents: 128 fl oz (1 gal) (3.8 L)

RM# 2008954

07-1443

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON PUPPIES, DOGS, HORSES OR FOALS



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Humans: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Animals: Avoid contact with eyes, or mucous membranes. Do not use on nursing puppies and foals under 12 weeks of age unless prescribed by a veterinarian. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	If you suspect a reaction to this product: <ul style="list-style-type: none">• Discontinue use.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.

In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, call 1-800-234-2269

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL OR CHEMICAL HAZARDS: FLAMMABLE. Keep away from heat and open flame. Contains alcohol. Do not apply to painted or finished wood surfaces.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use on horses or foals intended for slaughter. Do not apply over cuts, wounds, or irritated skin. Do not apply near eyes and mouth. Apply sparingly around ears.

For initial treatment, apply daily for 2-3 days. As infestation subsides, repeat treatment every 5-10 days or as prescribed by a veterinarian. Also re-apply every time animal is washed or exposed to heavy rain.

Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing or medicated animals.

USE ONLY IN WELL VENTILATED AREA. HOLD BOTTLE IN UPRIGHT POSITION WHEN SPRAYING:

Dogs: Cover animal's eyes with hands. With a firm stroke to get a proper spray mist, spray head, ears and chest until damp. With fingertips, rub into face around mouth, nose and eyes. Then spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long-haired dogs, rub your hand against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks.

Horses: Thoroughly brush the horse's coat, prior to application, to remove loose dirt and debris. For dirty horses, and as a preparation for show grooming, clean the coat with a quality shampoo. Wait until coat is completely dry before applying. Cover entire surface of animal with spray but avoid getting product into horse's eyes or other sensitive areas such as mouth or nose. Brush coat against grain while spraying to insure adequate penetration of product. As a wipe, apply liberally with a clean cloth or sponge. Make sure spray has completely dried before covering with any tack. Do not use on horses or foals intended for slaughter.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Store in a cool, dry place inaccessible to children and pets. **DISPOSAL: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Farnam Companies, Inc.
Horse Products Division
P.O. Box 34820
Phoenix, AZ 85067-4820
farnam.com

In case of emergency or for product use information
call 1-800-234-2269

EPA Reg. No. 270-300

Ⓐ EPA Est. No. 11715-TN-01

Ⓑ EPA Est. No. 67572-GA-1

Circled letter before EPA Est. No. corresponds to the first letter of the lot number on bottom of container

©2002, 2004, 2007 Farnam Companies, Inc.

Product Code: 3006288 RM# 2008955 07-1443

