



GROW COLT[®]

GROWTH AND DEVELOPMENT SUPPLEMENT



Grow Colt aids in growth and development under appropriate conditions of use. Grow Colt provides 27 important vitamin and mineral nutrients. Prepared specifically for colts in their first year of development.

NET WT: 3 lbs (1.36 kg)



RM#: 2006111 04-1250

For use in horses only.
Recommended to support healthy growth and development.

GUARANTEED ANALYSIS

<i>Each Pound Contains Not Less Than</i>	<i>Each Pound Contains Not Less Than</i>
Crude Protein, min. 5.00%	Selenium, min. 0.4 ppm
Crude Fat, min. 4.50%	Vitamin A, min. 480,000 I.U.
Crude Fiber, max. 4.00%	Vitamin D ₃ 100,000 I.U.
Calcium, min. 7.05%	Vitamin E. 320 I.U.
Calcium, max. 8.05%	Vitamin B12 3.2 mg
Phosphorus, min. 5.28%	Menadione 50 mg
Salt, min. 1.65%	Riboflavin 400 mg
Salt, max. 2.15%	d-Pantothenic Acid 360 mg
Magnesium, min. 0.40%	Thiamine 108 mg
Potassium, min. 1.25%	Niacin 2400 mg
Manganese 1100 ppm	Vitamin B ₆ 50 mg
Iron 1800 ppm	Folic Acid 10 mg
Copper, min. 22 ppm	Choline 3600 mg
Zinc, min. 11 ppm	Biotin001 mg
Iodine 160 ppm	P-Amino Benzoic Acid 90 mg
Cobalt 11 ppm	Ascorbic Acid 10 mg

INGREDIENTS

Grain products, monocalcium phosphate, wheat middlings, calcium carbonate, dehydrated alfalfa meal, vegetable oil, magnesium sulfate, potassium chloride, choline chloride, cane molasses, sodium chloride, ferrous sulfate, manganese sulfate, propionic acid (as preservative), sodium selenite, para-aminobenzoic acid, niacin supplement, vitamin B12 supplement, vitamin A supplement, riboflavin supplement, calcium pantothenate, ethylenediamine dihydriodide, thiamin mononitrate, pyridoxine hydrochloride, copper sulfate, zinc sulfate, folic acid, cobalt carbonate, ascorbic acid, biotin.

FEEDING INSTRUCTIONS

Enclosed scoop holds one ounce.

To aid in maximum growth and development, add 2 ounces of Grow Colt to daily ration for each foal. Continue feeding daily throughout the foal's first year of development. Provides 27 important vitamin and mineral nutrients.

FEEDING BEFORE WEANING

To avoid setbacks resulting from weaning and to speed early development, the foal should be given some supplementary feed while still nursing the mare. Usually the foal can start eating small amounts of feed when he is two to three weeks old. Creep feeding - in which the newborn foal can feed on grain and hay separately from the mare - is highly recommended.

FEEDING AFTER WEANING

Foals are usually weaned at four to six months of age. At weaning, separate the foal from the mare and feed him 1 to 1 1/2 lbs of hay per 100 lbs of body weight. Also feed 2 ounces of Grow Colt daily. The weaning period is the most critical time for feeding the growth supplement. Similarly the grain ration is quite critical. Three suggested grain rations for the weanling foal are outlined below:

Recommended Grain Formulas for WEANLING FOALS TO ONE YEAR

(Ingredients for 41-pound batch)

Ration No. 1	Ration No. 2	Ration No. 3
Oats 12 lbs	Oats 27 lbs	Oats 31 lbs
Barley 12 lbs	Wheat Bran 6 lbs	Linseed Meal . . . 8 lbs
Wheat Bran . . . 11 lbs	Linseed Meal . . . 6 lbs	Grow Colt 2 lbs
Linseed Meal . . . 4 lbs	Grow Colt 2 lbs	41 lbs
Grow Colt 2 lbs	41 lbs	

Feed 3/4 to 1 lb of grain daily with fresh legume hay

You can also add brown sugar to each of these rations to encourage the foal to start eating grain as early as possible. Your choice of rations will, of course, depend on the cost and availability of various grains.

Farnam Horse Products

A Division of Farnam Companies, Inc.
 P.O. Box 34820 • Phoenix, AZ 85067-4820
 farnam.com

Call with comments or questions: 602-285-1660
 7 AM - 3:45 PM MST M-F

Product Code: 31004 RM# 2006112
 ©2002, 2005 Farnam Companies, Inc. 05-1314





GROW COLT[®]

GROWTH AND DEVELOPMENT SUPPLEMENT



Grow Colt aids in growth and development under appropriate conditions of use. Grow Colt provides 27 important vitamin and mineral nutrients. Prepared specifically for colts in their first year of development.

NET WT: 7 lbs (3.18 kg)



For use in horses only.

Recommended to support healthy growth and development.

GUARANTEED ANALYSIS

<i>Each Pound Contains Not Less Than</i>	<i>Each Pound Contains Not Less Than</i>		
Crude Protein, min.	5.00%	Selenium, min.	0.4 ppm
Crude Fat, min.	4.50%	Vitamin A, min.	480,000 I.U.
Crude Fiber, max.	4.00%	Vitamin D ₃	100,000 I.U.
Calcium, min.	7.05%	Vitamin E.	320 I.U.
Calcium, max.	8.05%	Vitamin B12	3.2 mg
Phosphorus, min.	5.28%	Menadione	50 mg
Salt, min.	1.65%	Riboflavin	400 mg
Salt, max.	2.15%	d-Pantothenic Acid	360 mg
Magnesium, min.	0.40%	Thiamine	108 mg
Potassium, min.	1.25%	Niacin	2400 mg
Manganese	1100 ppm	Vitamin B ₆	50 mg
Iron	1800 ppm	Folic Acid	10 mg
Copper, min.	22 ppm	Choline	3600 mg
Zinc, min.	11 ppm	Biotin001 mg
Iodine	160 ppm	P-Amino Benzoic Acid	90 mg
Cobalt	11 ppm	Ascorbic Acid	10 mg

INGREDIENTS

Grain products, monocalcium phosphate, wheat middlings, calcium carbonate, dehydrated alfalfa meal, vegetable oil, magnesium sulfate, potassium chloride, choline chloride, cane molasses, sodium chloride, ferrous sulfate, manganese sulfate, propionic acid (as preservative), sodium selenite, para-aminobenzoic acid, niacin supplement, vitamin B12 supplement, vitamin A supplement, riboflavin supplement, calcium pantothenate, ethylenediamine dihydriodide, thiamin mononitrate, pyridoxine hydrochloride, copper sulfate, zinc sulfate, folic acid, cobalt carbonate, ascorbic acid, biotin.

GENERAL

Enclosed scoop holds one ounce.

To aid in maximum growth and development, add 2 ounces of Grow Colt to daily ration for each foal. Continue feeding daily throughout the foal's first year of development. Provides 27 important vitamin and mineral nutrients.

FEEDING BEFORE WEANING

To avoid setbacks resulting from weaning and to speed early development, the foal should be given some supplementary feed while still nursing the mare. Usually the foal can start eating small amounts of feed when he is two to three weeks old. Creep feeding - in which the newborn foal can feed on grain and hay separately from the mare - is highly recommended.

FEEDING AFTER WEANING

Foals are usually weaned at four to six months of age. At weaning, separate the foal from the mare and feed him 1 to 1 1/2 lbs of hay per 100 lbs of body weight. Also feed 2 ounces of Grow Colt daily. The weaning period is the most critical time for feeding the growth supplement. Similarly the grain ration is quite critical. Three suggested grain rations for the weanling foal are outlined below:

Recommended Grain Formulas for WEANLING FOALS TO ONE YEAR (Ingredients for 41-pound batch)

<u>Ration No. 1</u>	<u>Ration No. 2</u>	<u>Ration No. 3</u>
Oats 12 lbs	Oats 27 lbs	Oats 31 lbs
Barley 12 lbs	Wheat Bran 6 lbs	Linseed Meal ... 8 lbs
Wheat Bran ... 11 lbs	Linseed Meal ... 6 lbs	Grow Colt 2 lbs
Linseed Meal ... 4 lbs	Grow Colt 2 lbs	41 lbs
Grow Colt 2 lbs	41 lbs	

Feed 3/4 to 1 lb of grain daily with fresh legume hay

You can also add brown sugar to each of these rations to encourage the foal to start eating grain as early as possible. Your choice of rations will, of course, depend on the cost and availability of various grains.

Farnam Horse Products

A Division of Farnam Companies, Inc.
P.O. Box 34820
Phoenix, AZ 85067-4820
farnam.com

Call with comments or questions: 602-285-1660
7 AM - 3:45 PM MST M-F

Product Code: 31011 RM# 2006105
©2002, 2005 Farnam Companies, Inc. 05-1315



For use in horses only.
Recommended to support healthy growth and development.

GUARANTEED ANALYSIS

Crude Protein, min.	5.00%
Crude Fat, min.	4.50%
Crude Fiber, max.	4.00%
Calcium, min.	7.05%
Calcium, max.	8.05%
Phosphorus, min.	5.28%
Salt, min.	1.65%
Salt, max.	2.15%
Magnesium, min.	0.40%
Potassium, min.	1.25%
Manganese	1100 ppm
Iron	1800 ppm
Copper, min.	22 ppm
Zinc, min.	11 ppm
Iodine	160 ppm
Cobalt	11 ppm
Selenium, min.	0.4 ppm
Vitamin A, min.	480,000 I.U./lb
Vitamin D ₃	100,000 I.U./lb
Vitamin E	320 I.U./lb
Vitamin B ₁₂	3.2 mg/lb
Menadione	50 mg/lb
Riboflavin	400 mg/lb
d-Pantothenic Acid	360 mg/lb
Thiamine	108 mg/lb
Niacin	2400 mg/lb
Vitamin B ₆	50 mg/lb
Folic Acid	10 mg/lb
Choline	3600 mg/lb
Biotin001 mg/lb
P-Amino Benzoic Acid	90 mg/lb
Ascorbic Acid	10 mg/lb



GROW COLT[®]

GROWTH AND DEVELOPMENT SUPPLEMENT



Grow Colt aids in growth and development under appropriate conditions of use. Grow Colt provides 27 important vitamin and mineral nutrients. Prepared specifically for colts in their first year of development.

NET WEIGHT: 20 lbs (9.07 kg)

INGREDIENTS

Grain products, monocalcium phosphate, wheat middlings, calcium carbonate, dehydrated alfalfa meal, vegetable oil, magnesium sulfate, potassium chloride, choline chloride, cane molasses, salt, ferrous sulfate, manganese sulfate, propionic acid (a preservative), sodium selenite, para-aminobenzoic acid, niacin supplement, vitamin B₁₂ supplement, vitamin A supplement, riboflavin supplement, calcium pantothenate, ethylenediamine dihydriodide, thiamin mononitrate, pyridoxine hydrochloride, copper sulfate, zinc sulfate, folic acid, cobalt carbonate, ascorbic acid, biotin.

**FEEDING INSTRUCTIONS
ENCLOSED SCOOP HOLDS ONE OUNCE**

To aid in maximum growth and development, add 2 ounces of Grow Colt to daily ration for each foal. Continue feeding daily throughout the foal's first year of development. Provides 27 important vitamin and mineral nutrients.

FEEDING BEFORE WEANING

To avoid set-backs resulting from weaning and to speed early development, the foal should be given some supplementary feed while still nursing the mare. Usually the foal can start eating small amounts of feed when he is two to three weeks old. Creep feeding - in which the newborn foal can feed on grain and hay separately from the mare - is highly recommended.

FEEDING AFTER WEANING

Foals are usually weaned at four to six months of age. At weaning, separate the foal from the mare and feed him 1 to 1 1/2 lbs. of hay per 100 lbs. of body weight. Also feed 2 ounces of Grow Colt daily. The weaning period is the most critical time for feeding the growth supplement. Similarly, the grain ration is quite critical. Three suggested grain rations for the weanling foal are outlined below:

**Recommended Grain Formulas for WEANLING FOALS TO ONE YEAR
(Ingredients for 41-pound batch)**

<u>Ration No. 1</u>	<u>Ration No. 2</u>	<u>Ration No. 3</u>
Oats12 lbs	Oats27 lbs	Oats31 lbs
Barley12 lbs	Wheat Bran6 lbs	Linseed Meal8 lbs
Wheat Bran11 lbs	Linseed Meal6 lbs	Grow Colt2 lbs
Linseed Meal4 lbs	Grow Colt2 lbs	41 lbs
Grow Colt2 lbs	41 lbs	

Feed 3/4 to 1 lb of grain daily with fresh legume hay

You can also add brown sugar to each of these rations to encourage the foal to start eating grain as early as possible. Your choice of rations will, of course, depend on the cost and availability of various grains.



FARNAM HORSE PRODUCTS
A Division Of Farnam Companies, Inc.
P.O. Box 34820
Phoenix, AZ 85067-4820
farnamhorse.com

For questions and a list of dealers near you, call
1-800-234-2269 in the U.S.A. or 602-285-1660

Product Code: 31026 RM# 2007780
©2002, 2005, 2006 Farnam Companies, Inc. 06-0836

