



MARE PLUS[®]

SUPPLEMENT FOR MARES



A vitamin-mineral supplement to bring the mare's system into a properly balanced condition, optimal for conception, parturition and lactation.

THE BREEDER'S CHOICE

NET WT: 1.36 kg (3 lbs.)

GUARANTEED ANALYSIS

Each Pound Contains Not Less Than

Crude Protein (Min.)	6.0%
Crude Fat (Min.)	3.5%
Crude Fiber (Max.)	6.0%
Calcium (Min.)	5.80%
Calcium (Max.)	6.80%
Phosphorus (Min.)	5.00%
Salt (Min.)	1.00%
Salt (Max.)	1.50%
Potassium (K) (Min.)	1.88%
Magnesium (Mg) (Min.)	0.39%
Cobalt (Co) (Min.)	300 ppm
Copper (Cu) (Min.)	250 ppm
Iodine (I) (Min.)	160 ppm
Iron (Fe) (Min.)	4000 ppm
Manganese (Mn) (Min.)	2200 ppm

Each Pound Contains Not Less Than

Selenium (Min.)	0.4 ppm
Zinc (Zc) (Min.)	2000 ppm
Vitamin A	800,000 I.U.
Vitamin D ₃	80,000 I.U.
Vitamin E	960 I.U.
Vitamin B ₁₂	3240 mcg
Riboflavin	800 mg
d-Pantothenic Acid	1000 mg
Thiamine	700 mg
Niacin	2000 mg
Vitamin B ₆	165 mg
Folic Acid	144 mg
Choline	8700 mg
P-Amino Benzoic Acid	800 mg

INGREDIENTS

Monocalcium phosphate, ground corn, dehydrated alfalfa meal, wheat middlings, calcium carbonate, magnesium sulfate, potassium chloride, choline chloride, soybean oil, ferrous sulfate, cane molasses, sodium chloride, manganese sulfate, para-aminobenzoic acid, propionic acid (preservative), sodium selenite, beta carotene, zinc sulfate, niacin, vitamin E supplement, vitamin A supplement, vitamin D₃ supplement, calcium pantothenate, riboflavin supplement, thiamine mononitrate, vitamin B₁₂ supplement, copper sulfate, cobalt sulfate, pyridoxine hydrochloride, ethylene diamine dihydride, and folic acid.

DIRECTIONS

Enclosed scoop holds one ounce.

Feed one ounce of Mare Plus twice daily with the feed – once in the morning and again in the evening. Mix right with regular ration.

CAUTION

Follow label directions. The addition to feed of higher levels of this premix containing selenium is not permitted.

GENERAL

Mare Plus – a concentrated, scientifically formulated and balanced vitamin-mineral concentrate, crumbled and flavored for taste appeal. Keeps broodmares in optimum condition during all stages of breeding.

FOR BROODMARES

Nutrient requirements of the broodmare increase significantly during gestation and lactation. Plus, in order to conceive, the mare must be in optimum condition.

Mare Plus supplies vitamins A and E to supplement and augment these vitamins found in the natural diet. Mare Plus also provides a source of calcium, phosphorous and vitamin D₃ for replacement of these nutrients of the mare demanded by the requirements of the unborn foal.

FOR LACTATING MARES

Following the mineral and vitamin requirements of pregnancy, a lactating mare is called upon to produce several liters of milk daily, and she will at the expense of her own vitamin-mineral requirement. Mare Plus is designed for fast assimilation by the dam to supplement her diet and meet the vitamin-mineral requirements of the suckling foal.

FOR STALLIONS IN SERVICE

Mare Plus should be used as an added precaution to assure the diet is adequately supplemented with vitamins, calcium, phosphorous and trace minerals. For assurance of adequate vitamin-mineral requirements, supplement the broodmares and stallions of breeding operations.

Call with comments or questions:
602-285-1660 7 AM - 3:45 PM MST M-F

FARNAM HORSE PRODUCTS

A Division of Farnam Companies, Inc.
P.O. Box 34820
Phoenix, Arizona 85067-4820
www.farnam.com

Product Code: 033304

RM #: 310933

©2002 Farnam Companies, Inc.

02-1682





MARE PLUS[®]

SUPPLEMENT FOR MARES



A vitamin-mineral supplement to bring the mare's system into a properly balanced condition, optimal for conception, parturition and lactation.

THE BREEDER'S CHOICE

NET WT: 3.18 kg (7 lbs.)

GUARANTEED ANALYSIS

Each Pound Contains Not Less Than

Crude Protein (Min.)	6.0%
Crude Fat (Min.)	3.5%
Crude Fiber (Max.)	6.0%
Calcium (Min.)	5.80%
Calcium (Max.)	6.80%
Phosphorus (Min.)	5.00%
Salt (Min.)	1.00%
Salt (Max.)	1.50%
Potassium (K) (Min.)	1.88%
Magnesium (Mg) (Min.)	0.39%
Cobalt (Co) (Min.)	300 ppm
Copper (Cu) (Min.)	250 ppm
Iodine (I) (Min.)	160 ppm
Iron (Fe) (Min.)	4000 ppm
Manganese (Mn) (Min.)	2200 ppm

Each Pound Contains Not Less Than

Selenium (Min.)	0.4 ppm
Zinc (Zc) (Min.)	2000 ppm
Vitamin A	800,000 I.U.
Vitamin D ₃	80,000 I.U.
Vitamin E	960 I.U.
Vitamin B ₁₂	3240 mcg
Riboflavin	800 mg
d-Pantothenic Acid	1000 mg
Thiamine	700 mg
Niacin	2000 mg
Vitamin B ₆	165 mg
Folic Acid	144 mg
Choline	8700 mg
P-Amino Benzoic Acid	800 mg

INGREDIENTS

Monocalcium phosphate, ground corn, dehydrated alfalfa meal, wheat middlings, calcium carbonate, magnesium sulfate, potassium chloride, choline chloride, soybean oil, ferrous sulfate, cane molasses, sodium chloride, manganese sulfate, para-aminobenzoic acid, propionic acid (preservative), sodium selenite, beta carotene, zinc sulfate, niacin, vitamin E supplement, vitamin A supplement, vitamin D₃ supplement, calcium pantothenate, riboflavin supplement, thiamine mononitrate, vitamin B₁₂ supplement, copper sulfate, cobalt sulfate, pyridoxine hydrochloride, ethylene diamine dihydriodide, and folic acid.

DIRECTIONS

Enclosed scoop holds one ounce.

Feed one ounce of Mare Plus twice daily with the feed – once in the morning and again in the evening. Mix right with regular ration.

CAUTION

Follow label directions. The addition to feed of higher levels of this premix containing selenium is not permitted.

GENERAL

Mare Plus – a concentrated, scientifically formulated and balanced vitamin-mineral concentrate, crumbled and flavored for taste appeal. Keeps broodmares in optimum condition during all stages of breeding.

FOR BROODMARES

Nutrient requirements of the broodmare increase significantly during gestation and lactation. Plus, in order to conceive, the mare must be in optimum condition.

Mare Plus supplies vitamins A and E to supplement and augment these vitamins found in the natural diet. Mare Plus also provides a source of calcium, phosphorous and vitamin D₃ for replacement of these nutrients of the mare demanded by the requirements of the unborn foal.

FOR LACTATING MARES

Following the mineral and vitamin requirements of pregnancy, a lactating mare is called upon to produce several liters of milk daily, and she will at the expense of her own vitamin-mineral requirement. Mare Plus is designed for fast assimilation by the dam to supplement her diet and meet the vitamin-mineral requirements of the suckling foal.

FOR STALLIONS IN SERVICE

Mare Plus should be used as an added precaution to assure the diet is adequately supplemented with vitamins, calcium, phosphorous and trace minerals. For assurance of adequate vitamin-mineral requirements, supplement the broodmares and stallions of breeding operations.

Call with comments or questions:
602-285-1660 7 AM - 3:45 PM MST M-F

FARNAM HORSE PRODUCTS

A Division of Farnam Companies, Inc.
P.O. Box 34820
Phoenix, AZ 85067-4820
www.farnam.com

Product Code: 033311 RM #: 310939
©2002 Farnam Companies, Inc. 02-1683



DIRECTIONS

Enclosed scoop holds one ounce.

Feed one ounce of Mare Plus twice daily with the feed – once in the morning and again in the evening. Mix right with regular ration.

CAUTION

Follow label directions. The addition to feed of higher levels of this premix containing selenium is not permitted.

GUARANTEED ANALYSIS

Each Pound Contains Not Less Than

Crude Protein (Min.) 6.0%
Crude Fat (Min.) 3.5%
Crude Fiber (Max.) 6.0%
Calcium (Min.) 5.80%
Calcium (Max.) 6.80%
Phosphorus (Min.) 5.00%
Salt (Min.) 1.00%
Salt (Max.) 1.50%
Potassium (K) (Min.) 1.88%
Magnesium (Mg) (Min.) 0.39%
Cobalt (Co) (Min.) 300 ppm
Copper (Cu) (Min.) 250 ppm
Iodine (I) (Min.) 160 ppm
Iron (Fe) (Min.) 4000 ppm
Manganese (Mn) (Min.) 2200 ppm

Each Pound Contains Not Less Than

Selenium (Min.) 0.4 ppm
Zinc (Zc) (Min) 2000 ppm
Vitamin A 800,000 I.U.
Vitamin D₃ 80,000 I.U.
Vitamin E 960 I.U.
Vitamin B₁₂ 3240 mcg
Riboflavin 800 mg
d-Pantothenic Acid 1000 mg
Thiamine 700 mg
Niacin 2000 mg
Vitamin B₆ 165 mg
Folic Acid 144 mg
Choline 8700 mg
P-Amino Benzoic Acid 800 mg

INGREDIENTS

Monocalcium phosphate, ground corn, dehydrated alfalfa meal, wheat middlings, calcium carbonate, magnesium sulfate, potassium chloride, choline chloride, soybean oil, ferrous sulfate, cane molasses, sodium chloride, manganese sulfate, para-aminobenzoic acid, propionic acid (preservative), sodium selenite, beta carotene, zinc sulfate, niacin, vitamin E supplement, vitamin A supplement, vitamin D₃ supplement, calcium pantothenate, riboflavin supplement, thiamine mononitrate, vitamin B₁₂ supplement, copper sulfate, cobalt sulfate, pyridoxine hydrochloride, ethylene diamine dihydriodide, and folic acid.



FARNAM HORSE PRODUCTS
A Division of Farnam Companies, Inc.
P.O. Box 34820 • Phoenix, AZ 85067-4820
www.farnam.com

Call with comments or questions:
602-285-1660 7 AM – 3:45 PM MST M-F

Product Code: 033326
RM #: 310927
©2002 Farnam Companies, Inc. 02-1684



MARE PLUS[®]

SUPPLEMENT FOR MARES



A vitamin-mineral supplement to bring the mare's system into a properly balanced condition, optimal for conception, parturition and lactation.

THE BREEDER'S CHOICE

NET WEIGHT: 20 lbs (9.07 kg)

GENERAL

Mare Plus – a concentrated, scientifically formulated and balanced vitamin-mineral concentrate, crumbled and flavored for taste appeal. Keeps broodmares in optimum condition during all stages of breeding.

FOR BROODMARES

Nutrient requirements of the broodmare increase significantly during gestation and lactation. Plus, in order to conceive, the mare must be in optimum condition.

Mare Plus supplies vitamins A and E to supplement and augment these vitamins found in the natural diet. Mare Plus also provides a source of calcium, phosphorous and vitamin D₃ for replacement of these nutrients of the mare demanded by the requirements of the unborn foal.

FOR LACTATING MARES

Following the mineral and vitamin requirements of pregnancy, a lactating mare is called upon to produce several liters of milk daily, and she will at the expense of her own vitamin-mineral requirement. Mare Plus is designed for fast assimilation by the dam to supplement her diet and meet the vitamin-mineral requirements of the suckling foal.

FOR STALLIONS IN SERVICE

Mare Plus should be used as an added precaution to assure the diet is adequately supplemented with vitamins, calcium, phosphorous and trace minerals. For assurance of adequate vitamin-mineral requirements, supplement the broodmares and stallions of breeding operations.