

Farrier's Formula®

Ingredients and Guaranteed Analysis

Ingredients

Dehydrated Alfalfa Meal, Soy Protein Concentrate, Lecithin, Yeast Culture Dehydrated, DL-Methionine, Hydrated Sodium Calcium Aluminosilicate, Ascorbic Acid, Biotin, Soybean Oil, Zinc Oxide, Basic Copper Chloride, Calcium Iodate.

Guaranteed Analysis

Nutrient		Adult Replenishment Feeding Level - 1,000 lb horse - daily intake 1 cup (170gm)
Starch, Carbohydrate, and Sugar		
*Starch (see note below)	1.40%	2.4 grams
*WSC (Water Soluble Carbohydrates)	3.50%	6 grams
*NFC (Non-Fiber Carbohydrates)	16%	27 grams
*ESC (Simple Sugars)	2.90%	5 grams
Protein, Fat, Fiber and Ash		
Crude Protein (Min)	19.00%	32,300 mg
Crude Fat (Min)	7.10%	12,000 mg
Crude Fiber (Max)	21.00%	35,700 mg
Ash (Max)	12.50%	21,250 mg
Amino Acids		
Lysine (Min)	0.91%	1,550 mg
DL-Methionine (Min)	3.10%	5,300 mg
Cystine (Min)	0.24%	400 mg
Glycine (Min)	0.81%	1,380 mg

Proline (Min)	1.09%	1,850 mg
Tyrosine (Min)	0.50%	850 mg
Phenylalanine (Min)	1.03%	1,750 mg
Phospholipids		
Phosphatidylcholine (Min)	1.46%	2,480 mg
Fatty Acids		
Omega 3 Fatty Acids (Min)	0.59%	1,000 mg
Minerals		
Calcium (Min)	0.90%	1,530 mg
Calcium (Max)	1.80%	3,060 mg
Phosphorus (Min)	0.50%	850 mg
**Potassium	1.90%	(see below) 3,200 mg
Sodium (Max)	0.10%	170 mg
Zinc (Min)	1,471 ppm	250 mg
Copper (Min)	541 ppm	92 mg
Iodine (Min)	7.1 ppm	1.2 mg
Vitamins		
Ascorbic Acid (Vit C) (Min)	2,720 mg/lb	1,020 mg
Biotin (Min)	53.6 mg/lb	20 mg
Choline (Min)	2,270 mg/lb	850 mg
Inositol (Min)	2,030 mg/lb	760 mg

One measuring cup (237 ml) will deliver 170 gm of product.

**Farrier's Formula® does not contain added sugar or molasses. The daily intake of starches, carbohydrates (WSC and NFC), and sugars from Farrier's Formula® is very low, and is insignificant relative to the starch, sugar and carbohydrate intake in the total diet.*

***Farrier's Formula® does not contain added potassium; however potassium is contained in minor concentrations with*

some of the ingredients such as alfalfa. Considering the small amount of product, the total level of potassium intake from Farrier's Formula® relative to the intake in the total diet is not significant.