

Compendium of Veterinary Products - US edition

Prestige® Prodigy® (MERCK ANIMAL HEALTH)

MERCK ANIMAL HEALTH

Intervet Inc.

2 GIRALDA FARMS, MADISON, NJ, 07940

Customer Service: 800-521-5767

Order Desk: 800-648-2118

Technical Service (Companion Animal): 800-224-5318

Technical Service (Livestock): 800-211-3573

Fax: 973-937-5557

Website: www.merck-animal-health-usa.com



Every effort has been made to ensure the accuracy of the information published. However, it remains the responsibility of the readers to familiarize themselves with the product information contained on the USA product label or package insert.

Prestige® Prodigy®

Intervet/Merck Animal Health

EQUINE RHINOPNEUMONITIS VACCINE, KILLED VIRUS

An inactivated, concentrated, adjuvanted, tissue culture origin equine herpesvirus type 1 (EHV-1) vaccine.

INDICATIONS: This product has been shown to be effective for the vaccination of healthy horses 6 months of age or older against abortion and respiratory disease caused by EHV-1. For more information regarding safety and efficacy data, go to productdata.aphis.usda.gov.

DOSE: For pregnant mares administer a 2 mL dose intramuscularly in the 5th, 7th and 9th months of pregnancy. Three doses are essential for primary immunization. Maiden and barren mares housed or pastured with pregnant mares should be vaccinated on the same schedule. For primary vaccination against respiratory disease administer three 2 mL doses intramuscularly at 4 to 6 week intervals. Historically, annual revaccination with this product has been recommended. The need for annual booster vaccination has not been established for this product. A booster dose can be administered at more frequent intervals based upon individual horse or farm disease risk assessment or any time epidemic conditions exist or are reported. Consult your veterinarian.

CAUTIONS: Store at 2°-8°C (35°-46°F). Shake well before using. Use entire contents when first opened. Do not mix with other products. Do not vaccinate within 21 days before slaughter. Local reaction may occur if this product is given subcutaneously. Inject deep into the muscle

only. Anaphylactic reactions may occur. If allergic reaction occurs, treat with epinephrine. Care should be used to avoid injecting your own fingers, hands, or other body parts. Accidental injection can cause serious local reactions. In case of human exposure, contact a physician.

ANTIBIOTIC: Gentamicin.

PRESERVATIVE: Thimerosal.

FOR ANIMAL USE ONLY

Intervet Inc. d/b/a Merck Animal Health, Omaha, NE 68103, USA

VLN 165A/PCN 1525.21

1 800 521-5767 (USA)

1 866 683-7838 (CAN)

For patent information:

<http://www.merck.com/product/patent/home.html>

	Code
10 Doses 10 x 2 mL Syringes with Separate Sterile Needles	191012 190506-01
10 Doses 20 mL	194520 193997-01

CPN: 1047537.0

By using this site, you agree to the [Terms of Service](#) and [Privacy Policy](#).

[Contact Us](#) - [Logout](#)

Updated November 2, 2018

Copyright 2018 - Animalytix LLC