

SAFETY DATA SHEET



Revision date: 05-Jan-2015

Version: 4.2

Page 1 of 13

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Moxidectin and Praziquantel Oral Gel

Trade Name: QUEST®

Synonyms: QUEST® PLUS GEL, QUEST® PLUS (moxidectin/praziquantel) Equine Oral Gel

Chemical Family: Macrocyclic lactone

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary product used as anti-worm agent (anthelmintic)

Restrictions on Use: Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.
100 Campus Drive, P.O. Box 651
Florham Park, New Jersey 07932 (USA)
Rocky Mountain Poison Control Center Phone: 1-866-531-8896
Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A.
Mercuriusstraat 20
1930 Zaventem
Belgium

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: VMIPSrecords@zoetis.com

Emergency telephone number:
International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Pale yellow to orange pink gel

Classification of the Substance or Mixture

GHS - Classification

Acute aquatic toxicity: Category 1

Chronic aquatic toxicity: Category 1

EU Classification:

EU Indication of danger: Dangerous for the Environment

EU Symbol: N

EU Risk Phrases:

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Label Elements

Signal Word: Warning

Hazard Statements: H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements: P273 - Avoid release to the environment
P391 - Collect spillage
P501 - Dispose of contents/container in accordance with all local and national regulations

SAFETY DATA SHEET

Material Name: Moxidectin and Praziquantel Oral Gel
Revision date: 05-Jan-2015

Page 2 of 13
Version: 4.2



Other Hazards

Short Term:

May be harmful if swallowed. May cause eye irritation. May cause slight skin irritation. (based on components) .

Known Clinical Effects:

Adverse effects associated with therapeutic use include clumsy motion of limbs/trunk (ataxia), drowsiness, depression, and salivation.

Australian Hazard Classification (NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

Note:

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Praziquantel	55268-74-1	259-559-6	Not Listed	Acute Tox 5 (H303)	12.5
Ethyl alcohol (ethanol)	64-17-5	200-578-6	F; R11	Flam. Liq. 2 (H225)	5
Benzyl Alcohol	100-51-6	202-859-9	Xn; R20/22	Acute Tox.4 (H302) Acute Tox.4 (H332)	<4
Moxidectin	113507-06-5	Not Listed	T;R25 Xi;R36 N;R50/53	Acute Tox.3 (H301) Eye Irrit. 2A (H319) Skin Irrit 3 (H316) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	2
Butylated hydroxytoluene	128-37-0	204-881-4	Not Listed	Not Listed	<0.1

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
2% polysorbate 80	Proprietary	Not Listed	Not Listed	Not Listed	*
Colloidal silicon dioxide	7631-86-9	231-545-4	Not Listed	Not Listed	*
Ethylcellulose	9004-57-3	Not Listed	Not Listed	Not Listed	*
Propylene glycol dicaprylate-caprate	68583-51-7	271-516-3	Not Listed	Not Listed	*

Additional Information:

* Proprietary
 Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

SAFETY DATA SHEET

Material Name: Moxidectin and Praziquantel Oral Gel
Revision date: 05-Jan-2015

Page 3 of 13
Version: 4.2

4. FIRST AID MEASURES

Description of First Aid Measures

- Eye Contact:** Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
- Skin Contact:** Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
- Ingestion:** Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
- Inhalation:** Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

- Symptoms and Effects of Exposure:** For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.
- Medical Conditions Aggravated by Exposure:** None known

Indication of the Immediate Medical Attention and Special Treatment Needed

- Notes to Physician:** None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO₂, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

- Hazardous Combustion Products:** Formation of toxic gases is possible during heating or fire.
- Fire / Explosion Hazards:** Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

- Measures for Cleaning / Collecting:** Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.
- Additional Consideration for Large Spills:** Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

SAFETY DATA SHEET

Material Name: Moxidectin and Praziquantel Oral Gel
Revision date: 05-Jan-2015

Page 4 of 13
Version: 4.2

7. HANDLING AND STORAGE

When handling, use appropriate personal protective equipment (see Section 8). Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash hands and any exposed skin after removal of PPE. Refer to Section 12 - Ecological Information, for information on potential effects on the environment. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.
Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Ethyl alcohol (ethanol)

ACGIH Threshold Limit Value (STEL)	1000 ppm
Australia TWA	1000 ppm
	1880 mg/m ³
Austria OEL - MAKs	1000 ppm
	1900 mg/m ³
Belgium OEL - TWA	1000 ppm
	1907 mg/m ³
Bulgaria OEL - TWA	1000.0 mg/m ³
Czech Republic OEL - TWA	1000 mg/m ³
Denmark OEL - TWA	1000 ppm
	1900 mg/m ³
Estonia OEL - TWA	500 ppm
	1000 mg/m ³
Finland OEL - TWA	1000 ppm
	1900 mg/m ³
France OEL - TWA	1000 ppm
	1900 mg/m ³
Germany - TRGS 900 - TWAs	500 ppm
	960 mg/m ³
Germany (DFG) - MAK	500 ppm
	960 mg/m ³
Greece OEL - TWA	1000 ppm
	1900 mg/m ³
Hungary OEL - TWA	1900 mg/m ³
Latvia OEL - TWA	1000 mg/m ³
Lithuania OEL - TWA	500 ppm
	1000 mg/m ³
Netherlands OEL - TWA	260 mg/m ³
Vietnam OEL - TWAs	1000 mg/m ³
OSHA - Final PELs - TWAs:	1000 ppm
	1900 mg/m ³
Poland OEL - TWA	1900 mg/m ³
Portugal OEL - TWA	1000 ppm
Romania OEL - TWA	1000 ppm
	1900 mg/m ³
Slovakia OEL - TWA	500 ppm
	960 mg/m ³

SAFETY DATA SHEET

Material Name: Moxidectin and Praziquantel Oral Gel
Revision date: 05-Jan-2015

Page 5 of 13
Version: 4.2

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Slovenia OEL - TWA	1000 ppm 1900 mg/m ³
Spain OEL - TWA	1000 ppm 1910 mg/m ³
Sweden OEL - TWAs	500 ppm 1000 mg/m ³
Switzerland OEL -TWAs	500 ppm 960 mg/m ³
Benzyl Alcohol	
Bulgaria OEL - TWA	5.0 mg/m ³
Czech Republic OEL - TWA	40 mg/m ³
Finland OEL - TWA	10 ppm 45 mg/m ³
Latvia OEL - TWA	5 mg/m ³
Lithuania OEL - TWA	5 mg/m ³
Poland OEL - TWA	240 mg/m ³
Moxidectin	
Zoetis OEL TWA 8-hr	70 µg/m ³
Butylated hydroxytoluene	
ACGIH Threshold Limit Value (TWA)	2 mg/m ³
Australia TWA	10 mg/m ³
Austria OEL - MAKs	10 mg/m ³
Belgium OEL - TWA	2 mg/m ³
Bulgaria OEL - TWA	10.0 mg/m ³
Denmark OEL - TWA	10 mg/m ³
Finland OEL - TWA	10 mg/m ³
France OEL - TWA	10 mg/m ³
Germany - TRGS 900 - TWAs	10 mg/m ³
Germany (DFG) - MAK	10 mg/m ³
Greece OEL - TWA	10 mg/m ³
Ireland OEL - TWAs	10 mg/m ³
Portugal OEL - TWA	2 mg/m ³
Slovenia OEL - TWA	10 mg/m ³
Switzerland OEL -TWAs	10 mg/m ³
Colloidal silicon dioxide	
Australia TWA	2 mg/m ³
Austria OEL - MAKs	4 mg/m ³ 0.3 mg/m ³
Czech Republic OEL - TWA	0.1 mg/m ³ 4.0 mg/m ³
Estonia OEL - TWA	2 mg/m ³
Finland OEL - TWA	5 mg/m ³
Germany - TRGS 900 - TWAs	4 mg/m ³
Germany (DFG) - MAK	4 mg/m ³
Ireland OEL - TWAs	6 mg/m ³ 2.4 mg/m ³
Latvia OEL - TWA	1 mg/m ³

SAFETY DATA SHEET

Material Name: Moxidectin and Praziquantel Oral Gel
Revision date: 05-Jan-2015

Page 6 of 13
Version: 4.2

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA - Final PELs - Table Z-3 Mineral D:	20 mppcf Listed
Slovakia OEL - TWA	4.0 mg/m ³
Switzerland OEL -TWAs	4 mg/m ³ 0.3 mg/m ³

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Praziquantel

Zoetis OEB OEB 1 (control exposure to the range of 1000ug/m³ to 3000ug/m³)

Exposure Controls

Engineering Controls:	Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep air contamination levels below the exposure limits or within the OEB range listed above in this section.
Personal Protective Equipment:	Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).
Hands:	Impervious gloves are recommended if skin contact with drug product is possible and for bulk processing operations.
Eyes:	Wear safety glasses or goggles if eye contact is possible.
Skin:	Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations.
Respiratory protection:	If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL. If airborne exposures are within or exceed the Occupational Exposure Band (OEB) range, wear an appropriate respirator with a protection factor sufficient to control exposures to the bottom of the OEB range.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Gel	Color:	Pale yellow to orange, pink
Odor:	No data available.	Odor Threshold:	No data available.
Molecular Formula:	Mixture	Molecular Weight:	Mixture
Solvent Solubility:	No data available		
Water Solubility:	No data available		
pH:	No data available.		
Melting/Freezing Point (°C):	No data available		
Boiling Point (°C):	No data available.		
Partition Coefficient: (Method, pH, Endpoint, Value)			
	No data available		
Moxidectin			
	Predicted 7 Log D 8.74		
Decomposition Temperature (°C):	No data available.		
Evaporation Rate (Gram/s):	No data available		
Vapor Pressure (kPa):	No data available		
Vapor Density (g/ml):	No data available		

SAFETY DATA SHEET

Material Name: Moxidectin and Praziquantel Oral Gel
Revision date: 05-Jan-2015

Page 7 of 13
Version: 4.2

Relative Density: No data available
Viscosity: No data available

Flammability:

Autoignition Temperature (Solid) (°C): No data available
Flammability (Solids): No data available
Flash Point (Liquid) (°C): No data available
Upper Explosive Limits (Liquid) (% by Vol.): No data available
Lower Explosive Limits (Liquid) (% by Vol.): No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available
Chemical Stability: Stable under normal conditions of use.
Possibility of Hazardous Reactions
Oxidizing Properties: Non-oxidizing
Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions.
Incompatible Materials: As a precautionary measure, keep away from strong oxidizers
Hazardous Decomposition Products: No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: Toxicological properties of the formulation have not been investigated. The information in this section describes the potential hazards of the individual ingredients and the formulation.
Routes of exposure: eye contact , skin contact

Acute Toxicity: (Species, Route, End Point, Dose)

Moxidectin

Rat Oral LD50 106 mg/kg
Rat Dermal LD50 > 2000mg/kg

2% polysorbate 80

Rat Intravenous LD 50 1790 mg/kg
Mouse Oral LD 50 25g/kg

Ethyl alcohol (ethanol)

Mouse Oral LD50 3450 mg/kg
Rat Oral LD50 7060mg/kg
Rat Inhalation LC50 10h 20,000ppm

Praziquantel

Rat Oral LD50 2840 mg/kg

Benzyl Alcohol

Rat Oral LD50 1230 mg/kg
Rat Para-periosteal LD50 53mg/kg
Rat Inhalation LC50 >4.178mg/L

SAFETY DATA SHEET

Material Name: Moxidectin and Praziquantel Oral Gel
Revision date: 05-Jan-2015

Page 8 of 13
Version: 4.2

11. TOXICOLOGICAL INFORMATION

Butylated hydroxytoluene

Rat Oral LD50 1700 mg/kg
Mouse Oral LD50 650 mg/kg
Rat Oral LD50 890 mg/kg
Mouse Intraperitoneal LD 50 138 mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Moxidectin

Eye Irritation Rabbit Moderate
Skin Irritation Rabbit Mild
Skin Sensitization - Beuhler Guinea Pig Negative

Ethyl alcohol (ethanol)

Eye Irritation Rabbit Severe
Skin Irritation Rabbit Mild

Benzyl Alcohol

Eye Irritation Rabbit Severe
Skin Irritation Rabbit Minimal
Skin Irritation Guinea Pig Moderate

Butylated hydroxytoluene

Eye Irritation Rabbit Moderate
Skin Irritation Rabbit Moderate

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Moxidectin

28 Day(s) Mouse Oral 75 mg/kg/day NOEL Central nervous system
28 Day(s) Rat Oral 100 mg/kg/day LOEL Central Nervous System
13 Week(s) Rat Oral 50 mg/kg/day NOEL Central Nervous System
90 Day(s) Dog Oral 10 mg/kg/day NOEL Central Nervous System

Butylated hydroxytoluene

4 Week(s) Rat Oral 5185 mg/kg LOAEL Liver
4 Day(s) Mouse Oral 2000 mg/kg LOAEL Liver, Kidney, Ureter, Bladder

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Moxidectin

Embryo / Fetal Development Rabbit Oral 1 mg/kg bw/day NOEL Maternal toxicity, Not teratogenic
Embryo / Fetal Development Rat Oral 5 mg/kg/day NOEL Negative
Embryo / Fetal Development Rat Oral 5 mg/kg bw/day NOEL Not Teratogenic, Embryotoxicity, Maternal Toxicity

Praziquantel

Prenatal & Postnatal Development Rat No route specified 300 mg/kg/day NOEL Not teratogenic
Prenatal & Postnatal Development Rabbit No route specified 200 mg/kg/day NOEL Not Teratogenic

SAFETY DATA SHEET

Material Name: Moxidectin and Praziquantel Oral Gel
Revision date: 05-Jan-2015

Page 9 of 13
Version: 4.2

11. TOXICOLOGICAL INFORMATION

Reproductive & Fertility Rat No route specified 8000 mg/kg/day NOEL No effects at maximum dose

Butylated hydroxytoluene

Embryo / Fetal Development Rat Oral 6 g/kg LOEL Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Moxidectin

In Vitro Bacterial Mutagenicity (Ames) *Salmonella*, *E. coli* Negative

In Vitro HGPRT Forward Gene Mutation Assay Chinese Hamster Ovary (CHO) cells Negative

In Vivo Cytogenetics Rat Bone Marrow Negative

In Vivo Unscheduled DNA Synthesis Rat Hepatocyte Negative

Praziquantel

Mammalian Cell Mutagenicity Not specified Negative

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Moxidectin

2 Year(s) Mouse Oral 30 mg/kg/day NOEL Not carcinogenic

2 Year(s) Rat Oral 100 mg/kg/day NOEL Not carcinogenic

Praziquantel

2 Year(s) Rat No route specified Not carcinogenic

2 Year(s) Hamster No route specified Not carcinogenic

Carcinogen Status:

Carcinogenicity of the mixture has not been determined. Alcohol is listed as a carcinogen by IARC. The IARC monograph examining the carcinogenic potential of ethanol examined only alcoholic beverages. No other components are listed as carcinogens by IARC, US OSHA or NTP.

Colloidal silicon dioxide

IARC: Group 3 (Not Classifiable)

Ethyl alcohol (ethanol)

IARC: Group 1 (Carcinogenic to Humans)

Butylated hydroxytoluene

IARC: Group 3 (Not Classifiable)

SAFETY DATA SHEET

Material Name: Moxidectin and Praziquantel Oral Gel
Revision date: 05-Jan-2015

Page 10 of 13
Version: 4.2

12. ECOLOGICAL INFORMATION

Environmental Overview: Very toxic to aquatic life with long lasting effects. Releases to the environment should be avoided.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Moxidectin

Lepomis macrochirus (Bluegill Sunfish) LC50 96 Hours 0.62 ppb
Oncorhynchus mykiss (Rainbow Trout) LC50 96 Hours 0.16 ppb
Daphnia Magna (Water Flea) EC50 48 Hours 30 ppt
Selenastrum capricornutum (Green Alga) EC50 72 Hours > 87 ppb

Ethyl alcohol (ethanol)

Oncorhynchus mykiss (Rainbow Trout) LC50/96h 12,900-15,300 mg/L

Benzyl Alcohol

Pimephales promelas (Fathead Minnow) EPA LC50 96 Hours 460 mg/L
Daphnia magna (Water Flea) OECD EC50 48 Hours 230 mg/L
Pseudokirchneriella subcapitata (Green Alga) OECD EC50 72 Hours 500 mg/L

Aquatic Toxicity Comments: A greater than symbol (>) indicates that aquatic toxicity was not observed at the maximum dose tested.

Benzyl Alcohol

Daphnia magna (Water Flea) OECD 21 Day(s) EC50 66 mg/L Reproduction

Persistence and Degradability:

Benzyl Alcohol

OECD Activated sludge Ready 92% After 14 Day(s) Ready

Bio-accumulative Potential:

Moxidectin

Predicted 7 Log D 8.74

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

SAFETY DATA SHEET

Material Name: Moxidectin and Praziquantel Oral Gel
Revision date: 05-Jan-2015

Page 11 of 13
Version: 4.2

As of January 1, 2015, materials offered for transport that are classified for transportation only as Marine Pollutants and which are packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 Liters or less for liquids or having a net mass per single or inner packaging of 5 kilograms or less for solids are NOT subject to ICAO/IATA, IMDG, or ADR transport regulations provided the general packaging requirements of those regulations are met. Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375.

UN number: UN 3082
UN proper shipping name: Environmentally hazardous substances, liquid, n.o.s. (moxidectin)
Transport hazard class(es): 9
Packing group: III
Environmental Hazard(s): Marine Pollutant

Please refer to the applicable dangerous goods regulations for additional information. Transport according to the requirements of the appropriate regulatory body.

DOT / ANTT: Not regulated for transportation

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

Non-controlled

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

Praziquantel

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 4
EU EINECS/ELINCS List	259-559-6

Ethyl alcohol (ethanol)

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	carcinogen initial date 4/29/11 in alcoholic beverages developmental toxicity initial date 10/1/87 in alcoholic beverages
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present

SAFETY DATA SHEET

Material Name: Moxidectin and Praziquantel Oral Gel
 Revision date: 05-Jan-2015

Page 12 of 13
 Version: 4.2

15. REGULATORY INFORMATION

EU EINECS/ELINCS List	200-578-6
Benzyl Alcohol	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	202-859-9
Moxidectin	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 4 Schedule 5 Schedule 6 Schedule 7
EU EINECS/ELINCS List	Not Listed
Butylated hydroxytoluene	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	204-881-4
2% polysorbate 80	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	Not Listed
Colloidal silicon dioxide	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	231-545-4
Ethylcellulose	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	Not Listed
Propylene glycol dicaprylate-caprate	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	271-516-3

SAFETY DATA SHEET

Material Name: Moxidectin and Praziquantel Oral Gel
Revision date: 05-Jan-2015

Page 13 of 13
Version: 4.2

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Flammable liquids-Cat.2; H225 - Highly flammable liquid and vapor
Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed
Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed
Acute toxicity, inhalation-Cat.4; H332 - Harmful if inhaled
Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic life
Hazardous to the aquatic environment, chronic toxicity-Cat.1; H410 - Very toxic to aquatic life with long lasting effects
Serious eye damage/eye irritation-Cat.2A; H319 - Causes serious eye irritation
Skin corrosion/irritation-Cat.3; H316 - Causes mild skin irritation

F - Highly flammable
N - Dangerous for the environment
Xn - Harmful
Xi - Irritant

R11 - Highly flammable.
R25 - Toxic if swallowed.
R36 - Irritating to eyes.
R20/22 - Harmful by inhalation and if swallowed.
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 14 - Transport Information.

Prepared by: Toxicology and Hazard Communication
Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet